

IN THE CLAIMS

1. (Currently Amended) A method comprising:
obtaining location information for a caller from a Gateway Mobile Location Center
during establishment of a call to a called party;
providing the location information to an intelligent peripheral;
converting the location information to voice information at the intelligent peripheral;
connecting the intelligent peripheral to the called party through a voice connection;
announcing the voice information from the intelligent peripheral to the called party; and
forming a connection between the called party and a calling party.
2. (Cancelled)
3. (Cancelled)
4. (Original) The method of claim 1, further comprising:
obtaining name information for the caller;
converting the location information and the name information to the voice information;
and
announcing the voice information to the called party.
5. (Original) The method of claim 4, further comprising:
obtaining the name information using Calling Name Address Presentation (CNAP).
6. (Currently Amended) A method comprising:
obtaining location information for a called party from a Gateway Mobile Location Center
during establishment of a call to the called party;
providing the location information to an intelligent peripheral;
converting the location information to voice information at the intelligent peripheral;
connecting the intelligent peripheral to the calling party through a voice connection;
announcing the voice information from the intelligent peripheral to a calling party; and

placing a call between the calling party and the called party.

7. (Cancelled)
8. (Cancelled)
9. (Original) The method of claim 6, further comprising:
obtaining name information for the called party;
converting the location information and the name information to the voice information;
and
announcing the voice information to the calling party.
10. (Original) The method of claim 9, further comprising:
obtaining the name information using Calling Name Address Presentation (CNAP).
11. (Currently Amended) A network comprising:
a switch;
~~at least one network element~~ a Gateway Mobile Location Center to track the locations of
wireless devices that interact with the network; and
at least one Intelligent Peripheral (IP) coupled to a Mobile Service Center to convert
location information for a calling wireless device obtained from the ~~at least one~~
~~network element~~ Gateway Mobile Location Center to track locations to a voice
announcement, and to interact with the switch to provide the announcement to at
least one called wireless device over a voice connection; and
at least one network element to establish a call between the calling wireless device and
the called wireless device.
12. (Cancelled)
13. (Canceled)

14. (Previously presented) The network of claim 11, further comprising:
at least one network element to obtain name information corresponding to at least one
calling wireless device; and
the at least one network element to provide the announcement converting the name
information and the location information to the voice announcement.
15. (Original) The network of claim 14, the at least one network element to obtain name
information further comprising:
a Line Information Database (LIDB).
16. (Currently Amended) A network element comprising:
a processor;
at least one port; and
logic that, when applied to the processor, results in converting location information for a
calling wireless device to a voice announcement, and interacting via the at least
one port with a switch to provide the announcement to at least one called wireless
device during the establishment of a call between the calling wireless device and
the called wireless device, wherein the location information is provided from a
Gateway Mobile Location Center and the announcement to the at least one called
wireless device is made through a voice connection between the network element
and the at least one called wireless device.
17. (Original) The network element of claim 16, further comprising:
logic that, when applied to the processor, results in converting name and location
information for a wireless device to a voice announcement.
18. (Currently Amended) A network element comprising:
a processor;
at least one port; and

logic that, when applied to the processor, results in the network element becoming involved in the establishment of a call, obtaining via the at least one port location information for a caller from a ~~network element~~ Gateway Mobile Location Center that provides location information, and providing via the at least one port the location information to a network element that creates a voice announcement of the caller's location and delivers the voice announcement to a called wireless device over a voice connection between the network element and the called wireless device.

19. (Original) The network element of claim 16, further comprising:
logic that, when applied to the processor, results in obtaining via the at least one port name information for the caller from a network element that provides a name service, and providing via the at least one port the name information to a network element that creates a voice announcement of the name information and the caller's location to a called wireless device.
20. (Currently Amended) A network element comprising:
a processor;
at least one port; and
logic that, when applied to the processor, results in the network element becoming involved in the establishment of a call, and results in obtaining via the at least one port name information for a called party from a ~~network element~~ Gateway Mobile Location Center that provides a name service, and providing via the at least one port the name information to a network element that creates a voice announcement of the name information and the called party's location and delivers the voice announcement to a calling wireless device over a voice connection between the network element and the calling wireless device.

21. (Canceled)